



## All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001

PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 [www.aicte-India.org](http://www.aicte-India.org)

### DEFICIENCY REPORT - CURRENT INTAKE

Regional office	Western
-----------------	---------

Application Id	1-695185781
Name of the Institute	ANURADHA ENGINEERING COLLEGE, CHIKHLI
Address	ANURADHA NAGAR, SAKEGAON ROAD, CHIKHLI-443201, DIST BULDANA (MAHARASHTRA STATE)
City/Village	CHIKHLI
District	BULDHANA
State	Maharashtra
Pin	443201

	Name	Qualification	Appointment type	PhD
Principal	DR. SANTOSH AGARKAR	B.SC., M.SC., NIL	Regular	Yes

Total Students (CI) (UG+PG+DIPLOMA)	1476
--	------

#### ***Institute Level Faculty***

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

	Actual number	Required number as per CI	Deficiency
Total Faculty (UG+PG+DIPLOMA)	109	99	No

**Program Level Faculty**

Program	Course	Level	Course Duration	Full Time / Part Time	Approved Intake (11-12)	Approved Intake (10-11)	Approved Intake (09-10)	Approved Intake (08-09)	Approved Intake (07-08)	Faculty
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	12
ENGINEERING AND TECHNOLOGY	INFORMATION TECHNOLOGY	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	12
ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING	UNDERGRADUATE	4	FULL TIME	45	45	45	45	45	09
ENGINEERING AND TECHNOLOGY	TEXTILE ENGINEERING	UNDERGRADUATE	4	FULL TIME	45	45	45	45	45	09
ENGINEERING AND TECHNOLOGY	ELECTRONICS AND TELECOMMUNICATIONS ENGINEERING	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	12
ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING	POSTGRADUATE	2	FULL TIME	18	18	18	18		03
ENGINEERING AND TECHNOLOGY	COMPUTER SCIENCE	UNDERGRADUATE	4	FULL TIME	90	90	90	90	90	18

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

Program	Course	Level	Course Duration	Full Time / Part Time	Approved Intake (11-12)	Approved Intake (10-11)	Approved Intake (09-10)	Approved Intake (08-09)	Approved Intake (07-08)	Faculty
Y	& ENGINEERING	DUALTE								
ENGINEERING AND TECHNOLOGY	MECHANICAL-COMPUTER AIDED DESIGN/COMPUTER AIDED MANUFACTURING	POST GRADUATE	2	FULL TIME	0					

**Administrative Area**

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Principal / Director Office	61	30	No
Central Store	90	30	No
Maintenance	37	10	No
Security	47	10	No
Housekeeping	21	10	No
Exam Control Office	41	30	No
Placement Office	48	30	No
Office All Inclusive	290	150	No

**Amenities Area**

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Boys Common Room	111.89000000000001	75	No
Girls Common Room	79	75	No
Cafeteria	261.99	150	No
Stationery Store	119.71	10	No
First aid cum Sick Room	28	10	No

**Computational Facilities**

Type	Available	Required	Deficiency
Internet Bandwidth	10	2	No
Printers	41	38	No
Legal Application S/W	26	20	No
Legal System S/W	11	3	No
PCs to Student ratio	474	378	No

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

**Library Facilities**

Type	Available	Required	Deficiency
Volumes	24990	24700	No
Titles	8829	4850	No
National Journals	46	46	No
Reading Room Capacity	160	150	No
MultiMediaPC	10	10	No

**Instructional Area-Common Facilities**

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Computer Center	163	150	No
Library & Reading Room	464	400	No

**Land Area Details**

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Other	36.67	10	No

**ENGINEERING AND TECHNOLOGY / Existing Programme**

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Class Room- Tutorial Room	UNDER GRADUATE	2180	2079	No
Tutorial Rooms - PG	POST GRADUATE	114	66	No
Laboratories-All	UG/PG	5543	4224	No
Workshops	UG/PG	396	200	No
Drawing Halls	UG/PG	165	132	No
Seminar Hall	UG/PG	1076	792	No

**eJournal**

Type	Final Deficiency
eJournal	No

XX- No Rooms Available  
DNA- Data Not Available / Insufficient Data  
Blank Field-Data Not Entered

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

## Other Facilities

Type	Availability	Deficiency
All Weather Approach	Y	N
Barrier free Environment	Y	N
Electric Supply	Y	N
General Insurance	Y	N
Institution Web Site	Y	N
Language Laboratory	Y	N
Medical & Counseling	Y	N
Notice Boards	Y	N
Potable Water Supply	Y	N
Safety Provisions	Y	N
Sewage Disposal System	Y	N
Telephone & FAX	Y	N
Vehicle Parking	Y	N
First Aid	Y	N

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

## DEFICIENCY REPORT - APPLIED INTAKE

### Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	10	2	No
Printers-Applied Intake	41	41	No
Legal Application S/W-Applied Intake	26	20	No
Legal System S/W-Applied Intake	11	3	No
PCs to Student ratio-Applied Intake	474	402	No

### Library Facilities

Type	Available	Required	Deficiency
Volumes	24990	24600	No
Titles	8829	4850	No
National Journals	46	46	No
Reading Room Capacity	160	150	No
MultiMediaPC	10	10	No

### **ENGINEERING AND TECHNOLOGY / Existing Programme**

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2180	2178	No
Tutorial Rooms - PG	POST GRADUATE	114	99	No
Laboratories-All	UG/PG	5543	4224	No
Workshops	UG/PG	396	200	No
Drawing Halls	UG/PG	165	132	No
Seminar Hall	UG/PG	1076	792	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

### Information regarding intake applied

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

Program	Course	Level	Shift	Current Intake	Intake Applied	Application type	Accreditation status	NRI	PIO	Foreign Collaboration
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	UNDERGRADUATE	1st Shift	60	120	EoA & Increase in intake	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	INFORMATION TECHNOLOGY	UNDERGRADUATE	1st Shift	60	60	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING	UNDERGRADUATE	1st Shift	45	45	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	TEXTILE ENGINEERING	UNDERGRADUATE	1st Shift	45	45	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	ELECTRONICS AND TELECOMMUNICATIONS ENGINEERING	UNDERGRADUATE	1st Shift	60	60	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING	POSTGRADUATE	1st Shift	18	18	EoA Only	NOT ELIGIBLE	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	COMPUTER SCIENCE & ENGINEERING	UNDERGRADUATE	1st Shift	90	90	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	MECHANICAL-COMPUTER AIDED DESIGN/COMPUTER AIDED MANUFACTURING	POSTGRADUATE	1st Shift	0	18	Application for new course	NOT ELIGIBLE	Not interested	Not interested	N

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-695185781	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	